

Product DATA



BUONO SPORT



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
17	215/60R17	96	H	6.5/6.0-7.5	690	221	400 A A	J6511/JB904
15	205/60R15	91	H	6.0/5.5-7.5	627	209	400 A A	J4419/JC404
14	205/60R14	88	H	6.0/5.5-7.5	602	209	400 A A	J4105/J5820/JB905



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
17	225/55ZR17	101(xl)	W	7.0/6.0-8.0	680	233	240 A A A	J6584/JB898
	225/55R17	101(xl)	V	7.0/6.0-8.0	680	233	320 A A	J6512/JB899
	215/55ZR17	94	W	7.0/6.0-7.5	668	226	240 A A A	J6585/J4439/JB900
	215/55R17	94	V	7.0/6.0-7.5	668	226	320 A A	J6514/JB901
16	225/55R16	99(xl)	V	7.0/6.0-8.0	654	233	320 A A	J7682/JC546
	225/55R16	95	V	7.0/6.0-7.5	654	233	320 A A	J4405/JB902
	215/55R16	97(xl)	V	7.0/6.0-7.5	642	226	320 A A	J4107/J6507/JB903
15	165/55R15	75	V	5.0/4.5-6.0	563	170	320 A A	J7063/JC130
14	165/55R14	72	V	5.0/4.5-6.0	538	170	320 A A	J7062/JC129



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
18	225/50R18	99	V	7.0/6.0-8.0	683	233	320 A A	J7688/JC555/J4627
17	215/50ZR17	95(xl)	W	7.0/6.0-7.5	648	226	240 A A A	JC420/J7499
	205/50ZR17	93(xl)	W	6.5/5.5-7.5	638	214	240 A A A	J6446/JB894
	205/50R17	93(xl)	V	6.5/5.5-7.5	638	214	320 A A	J5825/JB895
15	195/50R15	82	V	6.0/5.5-7.0	577	201	320 A A	J3587/J5838/JB896
	165/50R15	72	V	5.0/4.5-6.0	547	170	320 A A	J5821/JB897



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
18	245/45ZR18	100(xl)	W	8.0/7.5-9.0	677	243	240 A A A	J6513/J4436/JB880
	245/45R18	100(xl)	H	8.0/7.5-9.0	677	243	400 A A	J6508/JB881
	225/45ZR18	95(xl)	W	7.5/7.0-8.5	659	225	240 A A A	J4534/J7161/JC537
	225/45R18	95(xl)	H	7.5/7.0-8.5	659	225	400 A A	J7160/JC197
	215/45ZR18	93(xl)	W	7.0/7.0-8.0	651	213	240 A A A	J7466/JC407
17	245/45ZR17	99(xl)	W	8.0/7.5-9.0	652	243	240 A A A	JC416/J4539
	235/45ZR17	97(xl)	W	8.0/7.5-9.0	644	236	240 A A A	J6442/JB884
	235/45R17	97(xl)	V	8.0/7.5-9.0	644	236	320 A A	J5828/JB885
	225/45ZR17	94(xl)	W	7.5/7.0-8.5	634	225	240 A A A	J6443/J4431/JB886
	225/45R17	94(xl)	V	7.5/7.0-8.5	634	225	320 A A	J5827/JC534
	215/45ZR17	91(xl)	W	7.0/7.0-8.0	626	213	240 A A A	J6444/J4432/JB888
	215/45R17	91(xl)	V	7.0/7.0-8.0	626	213	320 A A	J5826/JC533
	205/45ZR17	88(xl)	W	7.0/6.5-7.5	616	206	240 A A A	J6445/J4433/JB890
	205/45R17	88(xl)	V	7.0/6.5-7.5	616	206	320 A A	J5824/JB891
16	205/45R16	87(xl)	V	7.0/6.5-7.5	590	206	320 A A	J4106/J5822/JB892
	195/45R16	84(xl)	V	6.5/6.0-7.5	582	195	320 A A	J6510/JB893

BRAND

BUONO SPORT

BUONO DRIVE

BUONO CUV

BUONO NEVE

TORMENTA X

JOB & DUTY PRO

Product Data

Product DATA



BUONO SPORT



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
19	245/40ZR19	98(xl)	W	8.5/8.0-9.5	679	248	240 A A A	J7298/JC271
	225/40ZR19	93(xl)	Y	8.0/7.5-9.0	663	230	240 A A A	J7197/JC256
18	235/40ZR18	95(xl)	W	8.5/8.0-9.5	645	241	240 A A A	J5834/JC536/J4424
	235/40R18	95(xl)	H	8.5/8.0-9.5	645	241	400 A A	J5833/JB872
18	225/40ZR18	92(xl)	W	8.0/7.5-9.0	637	230	240 A A A	J5830/JC535/J4423
	225/40R18	92(xl)	H	8.0/7.5-9.0	637	230	400 A A	J5829/JB874
18	215/40ZR18	89(xl)	W	7.5/7.0-8.5	629	218	240 A A A	J6935/JB875
	215/40R18	89(xl)	H	7.5/7.0-8.5	629	218	400 A A	J6934/JB875
17	245/40ZR17	91(xl)	W	8.5/8.0-9.5	628	248	240 A A A	J4468/JC346
	205/40ZR17	84(xl)	W	7.5/7.0-8.0	596	212	240 A A A	J4430/JB876
17	205/40R17	84(xl)	V	7.5/7.0-8.0	596	212	320 A A	J5823/JB877
	165/40R17	75(xl)	V	6.0/6.0	564	170	320 A A	J6505/JB878
16	165/40R16	73(xl)	V	6.0/6.0	538	170	320 A A	J6504/JB879



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
20	255/35ZR20	97(xl)	Y	9.0/8.5-10.0	686	260	240 A A A	J7408/JC348
	245/35ZR20	95(xl)	Y	8.5/8.0-9.5	680	248	240 A A A	J6937/JB866
20	225/35ZR20	93(xl)	Y	8.0/7.5-9.0	666	230	240 A A A	J6794/JC540
	225/35R20	93(xl)	H	8.0/7.5-9.0	666	230	400 A A	J6793/JB866
19	245/35ZR19	93(xl)	Y	8.5/8.0-9.5	655	248	240 A A A	J5836/JC539
	235/35ZR19	91(xl)	Y	8.5/8.0-9.5	647	241	240 A A A	J5835/JC538
19	225/35ZR19	88(xl)	Y	8.0/7.5-9.0	641	230	240 A A A	J6936/JB870
	215/35ZR19	85(xl)	Y	7.5/7.0-8.5	633	218	240 A A A	J7465/JC406
17	165/35R17	75(xl)	V	6.0/6.0	547	170	320 A A	J7407/JC347



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
22	245/30ZR22	95(xl)	Y	8.5/8.0-9.0	707	248	240 A A A	J7154/JC249
20	275/30ZR20	97(xl)	Y	9.5/9.0-10.0	674	278	240 A A A	J7518/JC438
	245/30ZR20	97(xl)	Y	8.5/8.0-9.0	656	248	240 A A A	J6509/JB865
20	235/30ZR20	88(xl)	Y	8.5/8.5	650	241	240 A A A	JC421/J7500
	225/30ZR20	85(xl)	Y	8.0/8.0	644	230	240 A A A	J7464/JC405

BRAND

BUONO SPORT

BUONO DRIVE

BUONO CUV

BUONO NEVE

TORMENTA X

JOB & DUTY PRO

Product Data

Product DATA



BUONO DRIVE



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
13	155/80R13	79	T	4.5/4.0-5.0	578	157	400 A A	J7504/JC417/J4540



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
14	185/70R14	88	H	5.5/4.5-6.0	616	189	400 A A	J5808/J4094/JB921
	175/70R14	88 ^(XL)	H	5.0/4.0-6.0	602	177	400 A A	JC418/J4541
13	175/70R13	82	H	5.0/4.5-6.0	576	177	400 A A	J4392/JC335
	165/70R13	79	T	5.0/4.0-5.5	562	170	400 A A	J4393/JC336



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
16	205/65R16	95	H	6.0/5.5-7.5	672	209	400 A A	J7064/JC131
15	215/65R15	100	H	6.5/6.0-7.5	661	221	400 A A	J7351/JC314
	205/65R15	95	H	6.0/5.5-7.5	647	209	400 A A	J6295/J4096/JB916
	195/65R15	91	H	6.0/5.5-7.0	635	201	400 A A	J6293/J4098/JB917
	185/65R15	88	H	5.5/5.0-6.5	621	189	400 A A	J5810/J4097/JB918
14	185/65R14	86	H	5.5/5.0-6.5	596	189	400 A A	J5807/J4093/JB919
	175/65R14	82	H	5.0/5.0-6.0	584	177	400 A A	J5805/J4100/JB920
	155/65R14	75	V	4.5/4.5-5.5	558	157	320 A A	J7061/JC128
13	165/65R13	77	H	5.0/4.5-6.0	544	170	400 A A	J4417/JC402



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
16	215/60R16	99 ^(XL)	H	6.5/6.0-7.5	664	221	400 A A	J6358/J4099/JB912
	205/60R16	96 ^(XL)	H	6.0/5.5-7.5	652	209	400 A A	J7503/J4389/JC332
15	195/60R15	88	V	6.0/5.5-7.0	615	201	320 A A	J5812/J4102/JB913
14	185/60R14	82	H	5.5/5.0-6.5	578	189	400 A A	J5806/J4104/JB914
13	175/60R13	77	H	5.0/5.0-6.0	540	177	400 A A	J4394/JC337



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
16	205/55R16	91	V	6.5/5.5-7.5	632	214	320 A A	J5818/J4101/JB907
	195/55R16	87	V	6.0/5.5-7.0	620	201	320 A A	J5816/JB908
	185/55R16	87	V	6.0/5.0-6.5	610	194	320 A A	JC419/J7498
15	195/55R15	85	V	6.0/5.5-7.0	595	201	320 A A	J5811/J4103/JB909
	185/55R15	82	V	6.0/5.0-6.5	585	194	320 A A	J5809/JB910
14	155/55R14	69	V	5.0/4.5-5.5	526	162	320 A A	J5804/JB911



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
16	205/50R16	87	V	6.5/5.5-7.5	612	214	320 A A	J5817/J4095/JB906

BRAND

BUONO SPORT

BUONO DRIVE

BUONO CUV

BUONO NEVE

TORMENTA X

JOB & DUTY PRO

Product Data

Product DATA



BUONO CUV



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
16	265/70R16	112	S	8.0/7.0-9.0	778	272	520 A B	JC334/J4391



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
17	265/65R17	112	H	8.0/7.5-9.5	776	272	520 A A	J6516/J4108/JB929
	235/65R17	108(xl)	V	7.0/6.5-8.5	738	240	440 A A	J6587/JB930
	225/65R17	102	V	6.5/6.0-8.0	724	228	440 A A	J6517/J4109/JB931
16	215/65R16	102(xl)	V	6.5/6.0-7.5	686	221	440 A A	J6515/JB932



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
18	265/60R18	110	H	8.0/7.5-9.5	775	272	520 A A	J6520/J4113/JB926
	235/60R18	107(xl)	V	7.0/6.5-8.5	739	240	440 A A	J6586/J4390/JC333
17	235/60R17	102	V	7.0/6.5-8.5	714	240	440 A A	J6938/JB928



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
20	275/55R20	117	H	8.5/7.5-9.5	810	284	520 A A	J4418/JC403
18	255/55R18	109(xl)	V	8.0/7.0-9.0	737	265	440 A A	J6589/JB924
	235/55R18	104(xl)	V	7.5/6.5-8.5	715	245	440 A A	J6519/J4110/JB925



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
20	265/50R20	111(xl)	V	8.5/7.5-9.5	774	277	440 A A	J6518/J4112/JB922
19	255/50R19	107(xl)	V	8.0/7.0-9.0	739	265	440 A A	J6588/J4111/JB923

BRAND

BUONO SPORT

BUONO DRIVE

BUONO CUV

BUONO NEVE

TORMENTA X

JOB & DUTY PRO

Product Data

Product DATA



BUONO NEVE



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
16	215/65R16	98	H	6.5/6.0-7.5	686	221	-	JB859/JY124
15	195/65R15	95 ^(XL)	T	6.0/5.5-7.0	635	201	-	JB860/JY125
	185/65R15	92 ^(XL)	T	5.5/5.0-6.5	621	189	-	JB861/JY126
	175/65R15	88 ^(XL)	T	5.0/5.0-6.0	609	177	-	JB862/JY129
14	185/65R14	90 ^(XL)	T	5.5/5.0-6.5	596	189	-	JB863/JY127
	175/65R14	86 ^(XL)	T	5.0/5.0-6.0	584	177	-	JB864/JY128



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
16	215/60R16	99 ^(XL)	H	6.5/6.0-7.5	664	221	-	JB856/JY121
	205/60R16	96 ^(XL)	H	6.0/5.5-7.5	652	209	-	JB857/JY122
15	175/60R15	81	T	5.0/5.0-6.0	591	177	-	JB858/JY123



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
17	225/55R17	101 ^(XL)	H	7.0/6.0-8.0	680	233	-	JY117
	225/55R17	101 ^(XL)	T	7.0/6.0-8.0	680	233	-	JB852
16	205/55R16	94 ^(XL)	H	6.5/5.5-7.5	632	214	-	JB853/JY118
	195/55R16	91 ^(XL)	H	6.0/5.5-7.0	620	201	-	JB854/JY119
15	195/55R15	89 ^(XL)	T	6.0/5.5-7.0	595	201	-	JB855/JY120



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
17	225/50R17	98 ^(XL)	H	7.0/6.0-8.0	658	233	-	JY116
	225/50R17	98 ^(XL)	T	7.0/6.0-8.0	658	233	-	JB851



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
17	225/45R17	94 ^(XL)	H	7.5/7.0-8.5	634	225	-	JY114
	225/45R17	94 ^(XL)	T	7.5/7.0-8.5	634	225	-	JB849
	215/45R17	91 ^(XL)	H	7.0/7.0-8.0	626	213	-	JY115
	215/45R17	91 ^(XL)	T	7.0/7.0-8.0	626	213	-	JB850



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
18	245/40R18	97 ^(XL)	V	8.5/8.0-9.5	653	248	-	JY113
	245/40R18	97 ^(XL)	T	8.5/8.0-9.5	653	248	-	JB848

BRAND

BUONO SPORT

BUONO DRIVE

BUONO CUV

BUONO NEVE

TORMENTA X

JOB & DUTY PRO

Product Data

Product DATA



TORMENTA X



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
17	225/65R17	102	Q	6.5/6.0-8.0	724	228	-	J4234
16	215/65R16	98	Q	6.5/6.0-7.5	686	221	-	J4220
	205/65R16	95	Q	6.0/5.5-7.5	672	209	-	J4231
15	205/65R15	94	Q	6.0/5.5-7.5	647	209	-	J4235
	195/65R15	91	Q	6.0/5.5-7.0	635	201	-	J4219
	185/65R15	88	Q	5.5/5.0-6.5	621	189	-	J4229
	175/65R15	84	Q	5.0/5.0-6.0	609	177	-	J4226
14	175/65R14	82	Q	5.0/5.0-6.0	584	177	-	J4221
	155/65R14	75	Q	4.5/4.5-5.5	558	157	-	J4233



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
17	215/60R17	96	Q	6.5/6.0-7.5	690	221	-	J4230
16	215/60R16	95	Q	6.5/6.0-7.5	664	221	-	J4228
	205/60R16	92	Q	6.0/5.5-7.5	652	209	-	J4227



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
17	215/55R17	94	Q	7.0/6.0-7.5	668	226	-	J4225
16	205/55R16	91	Q	6.5/5.5-7.5	632	214	-	J4218
14	165/55R14	72	Q	5.0/4.5-6.0	538	170	-	J4232



INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
18	225/45R18	95	Q	7.5/7.0-8.5	659	225	-	J4223
17	225/45R17	94	Q	7.5/7.0-8.5	634	225	-	J4224
	215/45R17	91	Q	7.0/7.0-8.0	626	213	-	J4222

BRAND

BUONO SPORT

BUONO DRIVE

BUONO CUV

BUONO NEVE

TORMENTA X

JOB & DUTY PRO

Product Data

Product DATA

DUTY PRO DP99

INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
14	195R14C	106/104	N	5.5/5.0-6.0	666	198	-	E0510
	185R14C	102/100	N	5.5/5.0-6.0	650	188	-	E0506
13	165R13C	94/92	N	4.5/4.0-5.0	596	167	-	E0509
	155R13C	90/88	N	4.5/4.0-5.0	578	157	-	E0507
12	155R12C	88/86	N	4.5/3.5-4.5	550	157	-	E0508

JOB PRO JP100

INCH	SIZE	LOAD INDEX	SPEED INDEX	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	UTQG	ARTICLE NO.
15	195R15C	106/104	P	5.5/5.0-6.0	690	198	-	E0527
	185R15C	103/102	P	5.5/5.0-6.0	674	188	-	E5288
14	195R14C	106/104	N	5.5/5.0-6.0	666	198	-	E5291
	185R14C	102/100	R	5.5/5.0-6.0	650	188	-	E5287
13	185R13C	100/98	N	5.5/5.0-6.0	624	188	-	E5286
	175R13C	97/95	N	5.0/4.5-5.5	608	178	-	E0526
12	145R12C	86/84	N	4.0/3.5-4.0	540	147	-	E5285

DUTY PRO DP86

INCH	SIZE	LOAD INDEX	SPEED INDEX	PLY RATING	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	ARTICLE NO.
15	195/70R15C	104/102	S	8 PR	6.0/5.0-6.0	655	201	E5322
	195/70R15C	104/102	S	8PR WLL	6.0/5.0-6.0	655	201	E0533
13	LT5.50R13	97/95	P	12 PR	4.0/4.0-5.0	622	151	E0521
12	LT5.50R12	92/90	P	10 PR	4.0/4.0-5.0	597	151	E0520
	LT5.00R12	88/86	P	10 PR	3.5/3.5-4.5	568	137	E0522

DUTY PRO DP168

INCH	SIZE	LOAD INDEX	SPEED INDEX	PLY RATING	RIM WIDTH(inch) Standard/Approved	OD(mm)	SW(mm)	ARTICLE NO.
16	6.50R16	108/107	N	10 PR	5.5/4.5	750	185	EB220

BRAND

BUONO SPORT

BUONO DRIVE

BUONO CUV

BUONO NEVE

TORMENTA X

JOB & DUTY PRO

Product Data